

Message

From: Rogers, Rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BCE033A9EDE7409D944D8AE868394548-RR0GER04]
Sent: 7/13/2021 8:24:04 PM
To: Melvin, Karen [Melvin.Karen@epa.gov]
Subject: RE: LSL Inventory Funding Sources

What I forgot to say was that the LCR does not require a system to identify every single LSL in their system. They have to identify enough sites to meet their monitoring requirements. So, for Clarksburg to be on full monitoring, which they were just told to do by the State, they have to sample a minimum of 60 homes. That means they have to build an inventory of probably 65-70 homes to allow for some homeowners not completing the sampling. If LSLs exist, no less than half of their sites have to be homes with LSLs.

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Melvin, Karen <Melvin.Karen@epa.gov>
Sent: Tuesday, July 13, 2021 3:35 PM
To: Rogers, Rick <rogers.rick@epa.gov>
Subject: FW: LSL Inventory Funding Sources

Ex. 5 Deliberative Process (DP)

KAREN MELVIN, DIRECTOR
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION
US EPA, REGION 3
1650 ARCH STREET
PHILADELPHIA, PA 19103
215-814-3275

From: Gillespie-Marthaler, Leslie
Sent: Tuesday, July 13, 2021 3:24 PM
To: Melvin, Karen <Melvin.Karen@epa.gov>
Subject: FW: LSL Inventory Funding Sources

Karen,

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Leslie

From: Howell, Amie <Howell.Amie@epa.gov>

Sent: Tuesday, July 13, 2021 3:00 PM

To: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>

Subject: RE: LSL Inventory Funding Sources

Stephanie Hickerson is the Infrastructure & Capacity Development Manager and lead for the DWSRF at WV DHHR. I assume we would work through her.

Amie Howell, Chief
State Assistance and Partnerships Branch
Water Division (3WD30)
U.S. EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
Phone: (215) 814-5722
E-mail: howell.amie@epa.gov

From: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>

Sent: Tuesday, July 13, 2021 2:55 PM

To: Howell, Amie <Howell.Amie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>

Subject: RE: LSL Inventory Funding Sources

Thank you Amie! Would we need to coordinate via Kathy Emery, or who would be a point of contact if we needed to reach out and emphasize a need for Clarksburg?

Thank you,

Leslie

Leslie Gillespie-Marthaler, Ph.D.
Deputy Director
Water Division
USEPA Region 3
1650 Arch Street 3WD00
Philadelphia, PA 19103
215-814-2735
GillespieMarthaler.Leslie@epa.gov

From: Howell, Amie <Howell.Amie@epa.gov>

Sent: Tuesday, July 13, 2021 2:41 PM

To: Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>

Subject: LSL Inventory Funding Sources

Leslie and Karrie,

I spoke with staff today about using the DWSRF to conduct a LSL inventory in Clarksburg. In WV, all infrastructure projects (water, wastewater, roads, airports, etc.) go through the state's Infrastructure Jobs Development Council (IJDC). A basic application is submitted to them and they decide where it should go. They receive state funding and can provide a broad range of support. They meet monthly to review applications and can re-direct, fully-fund, or co-fund projects. If they think it should go to the DWSRF, it is directed to WV DHHR and they would request a second application. The IJDC could be a potential source of funding.

Ex. 5 Deliberative Process (DP)

Let me know if you have questions or need more information. Thanks, Amie

Amie Howell, Chief
State Assistance and Partnerships Branch
Water Division (3WD30)
U.S. EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
Phone: (215) 814-5722
E-mail: howell.amie@epa.gov